


**AMENDMENTS TO THE CLAIMS**

CLAIMS 1-20 (Cancelled)

21. (NEW) A chemical compound represented by general formula (I)



or a pharmaceutically acceptable salt thereof, wherein

A represents a ring system selected from the group consisting of:


cyclohexanyl, phenyl, pyridyl, thienyl, thiazolyl, naphthyl, indolyl, pyrazolyl and oxo-pyrrolidinyl;

which ring system is optionally substituted with one or more substituents independently selected from the group consisting of:

halo, trifluoromethyl, nitro, alkyl, alkoxy, and phenyl; and

R<sup>1</sup> represents -H; and

D represents



wherein

one of  $R^2$ ,  $R^3$ , and  $R^4$  is selected from the group consisting of:

tetrazolyl,  $-\text{COOR}^a$ ,  $-\text{B}(\text{OH})_2$ ,  $-\text{PO}(\text{OR}^a)_2$ ,  $-\text{CH}_2-\text{PO}(\text{OR}^a)_2$ , and  $-\text{CONH}$ ;

wherein  $R^a$  is hydrogen or alkyl;

or  $R^2$  and  $R^3$  or  $R^3$  and  $R^4$  both represent fluoro; and

$R^5$ ,  $R^6$  and the remaining one or two of  $R^2$ ,  $R^3$  and  $R^4$  independently of each other represent:

- hydrogen, halo, trifluoromethyl,
- $-\text{CH}=\text{CH}-\text{COOR}^b$ ,  $-\text{CH}_2-\text{CH}_2-\text{COOR}^b$ ,
- $-\text{CO}-\text{NR}^b-\text{CH}_2-\text{COOR}^c$ ;  $-\text{CO}-\text{NR}^b\text{R}^c$ ,
- $-\text{CH}=\text{CH}-\text{CO}-\text{NR}^b\text{R}^c$ ;  $-\text{CH}_2-\text{CH}_2-\text{CO}-\text{NR}^b\text{R}^c$ ,
- piperidylcarbonyl,
- $-\text{NH}-\text{CO}-\text{R}^d$  or  $-\text{NH}-\text{CO}-\text{NH}-\text{R}^d$ ;


wherein  $R^d$  is phenyl optionally substituted with one or more substituents independently selected from halo or trifluoromethyl; or

- phenyl optionally substituted with  $-\text{SO}_2-\text{NR}^b\text{R}^c$ ,  $-\text{CO}-\text{NR}^b\text{R}^c$ ,  $-\text{CO}-\text{NR}^b-\text{CH}_2-\text{COOR}^c$ , or piperidylcarbonyl;

wherein  $R^b$  and  $R^c$  independently are hydrogen or alkyl;

or  $R^1$  represents  $-\text{H}$ ; and

D represents




wherein R<sup>2'</sup>, R<sup>3'</sup>, R<sup>4'</sup>, R<sup>5'</sup>, R<sup>6'</sup> independently of each other represent hydrogen, halo, or trifluoromethyl:

or R<sup>1</sup> together with D forms -CHR<sup>e</sup>-CH<sub>2</sub>-CHR<sup>f</sup>-CH<sub>2</sub>-;

wherein R<sup>e</sup> represents -COOH;

R<sup>f</sup> represents hydrogen or hydroxy.

22. (NEW) The compound of claim 21, being a compound of general formula (II)



or a pharmaceutically acceptable salt thereof, wherein

R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> independently of each other represent:

- hydrogen, halo, trifluoromethyl,
- -CH=CH-COOR<sup>b</sup>, -CH<sub>2</sub>-CH<sub>2</sub>-COOR<sup>b</sup>,

- $-\text{CO}-\text{NR}^b-\text{CH}_2-\text{COOR}^c$ ;  $-\text{CO}-\text{NR}^b\text{R}^c$ ,
- $-\text{CH}=\text{CH}-\text{CO}-\text{NR}^b\text{R}^c$ ;  $-\text{CH}_2-\text{CH}_2-\text{CO}-\text{NR}^b\text{R}^c$ ,
- piperidylcarbonyl,
- $-\text{NH}-\text{CO}-\text{R}^d$  or  $-\text{NH}-\text{CO}-\text{NH}-\text{R}^d$ ;


wherein  $\text{R}^d$  is phenyl optionally substituted with one or more substituents independently selected from halo or trifluoromethyl (bromo, dichloro); or

- phenyl optionally substituted with  $-\text{SO}_2-\text{NR}^b\text{R}^c$ ,  $-\text{CO}-\text{NR}^b\text{R}^c$ ,  $-\text{CO}-\text{NR}^b-\text{CH}_2-\text{COOR}^c$ , or piperidylcarbonyl;
- wherein  $\text{R}^b$  and  $\text{R}^c$  independently are hydrogen or alkyl;

$\text{R}^{12}$ ,  $\text{R}^{13}$ ,  $\text{R}^{14}$ ,  $\text{R}^{15}$ , and  $\text{R}^{16}$  independently of each other represent hydrogen, halo, trifluoromethyl, nitro, alkyl, or alkoxy.

23. (NEW) The compound of claim 22, wherein  $\text{R}^4$  and  $\text{R}^6$  each represent halo;  $\text{R}^2$ ,  $\text{R}^3$ , and  $\text{R}^5$  each represent hydrogen; two or three of  $\text{R}^{12}$ ,  $\text{R}^{13}$ ,  $\text{R}^{14}$ ,  $\text{R}^{15}$ , and  $\text{R}^{16}$  independently of each other represent halo; and the remaining three or two of  $\text{R}^{12}$ ,  $\text{R}^{13}$ ,  $\text{R}^{14}$ ,  $\text{R}^{15}$ , and  $\text{R}^{16}$  represent hydrogen.

24. (NEW) The compound of claim 21, being a compound of general formula (III)



or a pharmaceutically acceptable salt thereof, wherein

$R^g$  represents  $-\text{CO}-\text{NR}^b\text{R}^c$ ,  $-\text{CO}-\text{NR}^b-\text{CH}_2-\text{COOR}^c$ , or piperidylcarbonyl;

wherein  $R^b$  and  $R^c$  independently are hydrogen or alkyl;

two of  $R^{12}$ ,  $R^{13}$ ,  $R^{14}$ ,  $R^{15}$ , and  $R^{16}$  independently of each other represent

halo, trifluoromethyl, nitro, alkyl, or alkoxy;

and the remaining three of  $R^{12}$ ,  $R^{13}$ ,  $R^{14}$ ,  $R^{15}$ , and  $R^{16}$  represent hydrogen.

25. (NEW) The compound of claim 24, wherein

$R^g$  represents  $-\text{CO}-\text{NR}^b\text{R}^c$ ;

wherein  $R^b$  and  $R^c$  independently are hydrogen or alkyl;

$R^{13}$  and  $R^{15}$  represent halo; and

$R^{12}$ ,  $R^{14}$  and  $R^{16}$  each represent hydrogen.

26. (NEW) The formula of claim 21, wherein

A represents a ring system selected from the group consisting of:


cyclohexanyl, phenyl, pyridyl, thienyl, thiazolyl, and pyrazolyl;

which ring system is optionally substituted with one or more substituents independently selected from the group consisting of:

halo, trifluoromethyl, nitro, alkyl, alkoxy, and phenyl; and

$R^1$  represents -H; and

D represents



wherein

$R^2$  represents  $-\text{COOR}^a$ ;

wherein  $R^a$  is hydrogen or alkyl;

$R^3$ ,  $R^4$ ,  $R^5$ , and  $R^6$  independently of each other represent:

- hydrogen, halo, trifluoromethyl,
- $-\text{NH}-\text{CO}-R^d$  or  $-\text{NH}-\text{CO}-\text{NH}-R^d$ ;


wherein  $R^d$  is phenyl optionally substituted with one or more substituents independently selected from halo or trifluoromethyl; or

- phenyl optionally substituted with  $-\text{SO}_2-\text{NR}^b\text{R}^c$ ,  $-\text{CO}-\text{NR}^b\text{R}^c$ ,  $-\text{CO}-\text{NR}^b-\text{CH}_2-\text{COOR}^c$ , or piperidylcarbonyl;

wherein  $R^b$  and  $R^c$  independently are hydrogen or alkyl.

27. (NEW) The compound of claim 26, wherein

A represents



wherein R<sup>12</sup>, R<sup>13</sup>, R<sup>14</sup>, R<sup>15</sup>, and R<sup>16</sup> independently of each other represent:

halo, trifluoromethyl, nitro, alkyl, alkoxy, or phenyl.

28. (NEW) The compound of claim 21, wherein

A represents a ring system selected from the group consisting of:

cyclohexanyl, phenyl, and pyridyl;


which ring system is optionally substituted with one or more substituents independently selected

from the group consisting of:

halo, trifluoromethyl, nitro, alkyl, and alkoxy; and

R<sup>1</sup> represents -H; and

D represents



wherein

$R^2$  represents  $-B(OH)_2$ ,  $-PO(OR^a)_2$ ,  $-CH_2-PO(OR^a)_2$ , or  $-CONH$ ;

wherein  $R^a$  is hydrogen or alkyl (hydrogen, methyl, ethyl);

$R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ , and  $R^6$  independently of each other represent:

hydrogen, halo, trifluoromethyl, or phenyl.


29. (NEW) The compound of claim 21, wherein

A represents phenyl optionally substituted with one or more substituents independently selected from the group consisting of:

halo, trifluoromethyl, nitro, alkyl, and alkoxy; and

$R^1$  represents  $-H$ ; and

D represents



wherein  $R^{2'}$ ,  $R^{3'}$ ,  $R^{4'}$ ,  $R^{5'}$ ,  $R^{6'}$  independently of each other represent hydrogen, halo, or trifluoromethyl.

30. (NEW) The compound of claim 21, wherein

A represents a ring system selected from the group consisting of:

cyclohexanyl, phenyl, and pyridyl;



which ring system is optionally substituted with one or more substituents independently selected from the group consisting of:

halo, trifluoromethyl, nitro, alkyl, and alkoxy; and

$R^1$  together with D forms  $-\text{CHR}^e-\text{CH}_2-\text{CHR}^f-\text{CH}_2-$ ;

wherein  $R^e$  represents  $-\text{COOH}$ ;

$R^f$  represents hydrogen or hydroxy.

31. (NEW) The compound of claim 21, wherein

A represents a ring system selected from the group consisting of:


cyclohexanyl, phenyl, and pyridyl;

which ring system is optionally substituted with one or more substituents independently selected from the group consisting of:

halo, trifluoromethyl, nitro, alkyl, and alkoxy;

$R^1$  represents  $-\text{H}$ ; and

D represents



wherein

$R^2$  and  $R^3$  or  $R^3$  and  $R^4$  both represent fluoro; and

$R^5$ ,  $R^6$  and the remaining one or two of  $R^2$ ,  $R^3$  and  $R^4$  independently of each other represent hydrogen, halo, or trifluoromethyl.

32. (NEW) The compound of claim 21, wherein

A represents a ring system selected from the group consisting of:


cyclohexanyl, pyridyl, and naphthyl;

which ring system is optionally substituted with one or more substituents independently selected from the group consisting of:

halo, trifluoromethyl, nitro, alkyl, and alkoxy; and

R<sup>1</sup> represents -H; and

D represents



wherein

R<sup>2</sup> represents tetrazolyl;

R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, and R<sup>6</sup> independently of each other represent:

- hydrogen, halo, trifluoromethyl; or
- phenyl substituted with  
-SO<sub>2</sub>-NR<sup>b</sup>R<sup>c</sup>, -CO-NR<sup>b</sup>R<sup>c</sup>, -CO-NR<sup>b</sup>-CH<sub>2</sub>-COOR<sup>c</sup>, or piperidylcarbonyl;

wherein R<sup>b</sup> and R<sup>c</sup> independently are hydrogen or alkyl (methyl).

33. (NEW) The compound of claim 21, being

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[2-bromo-4-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[2,6-dibromo-3-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[2-bromo-5-(1*H*-tetrazol-5-yl)-phenyl] urea;

5-Chloro-2-[3-(1*H*-indol-2-yl)-ureido]-benzoic acid;

5-Bromo-2-[3-(1*H*-indol-2-yl)-ureido]-benzoic acid;

*N*-(3-Fluoro-5-trifluoromethyl-phenyl)-*N'*-[2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl-4'-sulfonic acid-dimethylamide] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-[2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl-4'-sulfonic acid-dimethylamide] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl-4'-sulfonic acid-dimethylamide] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-[3-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[3-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3-Bromo-phenyl)-*N'*-[3-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[3-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3-Chloro-phenyl)-*N*'-[3-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Fluoro-3-trifluoromethyl-phenyl)-*N*'-[2,4-dibromo-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,4-Dichloro-phenyl)-*N*'-[2,4-dibromo-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3-Methoxy-phenyl)-*N*'-[4'-(*N*'',*N*''-dimethyl-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl]  
urea;

*N*-(2-Methoxy-phenyl)-*N*'-[4'-(*N*'',*N*''-dimethyl-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl]  
urea;

*N*-(4-Methoxy-phenyl)-*N*'-[4'-(*N*'',*N*''-dimethyl-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl]  
urea;

*N*-(2-Trifluoromethyl-phenyl)-*N*'-[4'-(*N*'',*N*''-dimethyl-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-  
biphenyl-4-yl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N*'-[4'-(*N*'',*N*''-dimethyl-1-carbonyl)-3-(1*H*-tetrazol-5-  
yl)-biphenyl-4-yl] urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-[2,4-dibromo-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2-Chloro-phenyl)-*N*'-[4'-(piperidine-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl] urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-[2,4-dichloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-[2,4-dichloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[2,4-dichloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl)-*N'*-[2,4-dichloro-5-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[4-(*N''*-methyl-carboxamide)- 2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4-(*N''*-methyl-carboxamide)- 2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-[4-(carbonyl-amino-acetic acid)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-[4-(acrylic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[4-(acrylic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[4-(acrylic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4-(acrylic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2-Chloro-phenyl)-*N'*-[4-(acrylic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoro-phenyl)-*N'*-[4-(propionic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[4-(propionic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[4-(propionic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4-(propionic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2-Chloro-phenyl)-*N'*-[4-(propionic acid methyl ester)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[4-(*N''*-malonamic acid)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[4-(*N*-malonamic acid)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4-(*N''*-malonamic acid)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2-Chloro-phenyl)-*N'*-[4-(*N''*-malonamic acid)-2-(1*H*-tetrazol-5-yl)-phenyl] urea; M.p. 158-160°C;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-{4-[(*N''*,*N''*-dimethyl)-acrylamide]-2-(1*H*-tetrazol-5-yl)-phenyl} urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-{4-[(*N''*,*N''*-dimethyl)-acrylamide]-2-(1*H*-tetrazol-5-yl)-phenyl} urea;

*N*-(2-Chloro-phenyl)-*N*'-{4-[(*N*'',*N*''-dimethyl)-acrylamide]-2-(1*H*-tetrazol-5-yl)-phenyl} urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-{4-[(*N*''-methyl)-acrylamide]-2-(1*H*-tetrazol-5-yl)-phenyl} urea;

*N*-(3,5-Difluoro-phenyl)-*N*'-{4-[(*N*''-methyl)-acrylamide]-2-(1*H*-tetrazol-5-yl)-phenyl} urea;

*N*-(2-Chloro-phenyl)-*N*'-[4-(piperidine-1-carbonyl)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-[4-(*N*'',*N*''-diethyl-carboxamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N*'-[4-(*N*'',*N*''-diethyl-carboxamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N*'-[4-(*N*'',*N*''-diethyl-carboxamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2-Chloro-phenyl)-*N*'-[4-(*N*'',*N*''-diethyl-carboxamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N*'-[4-(piperidine-1-carbonyl)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-dichloro-phenyl)-*N*'-[4-(piperidine-1-carbonyl)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N*'-[4-(piperidine-1-carbonyl)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N*'-[4-(piperidine-1-carbonyl)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-[4'-(carbonyl-(*N*''-methyl)amino-acetic acid)-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-[4-(*N*'',*N*''-dimethyl-carboxamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N*'-[4-(*N*'',*N*''-dimethyl-carboxamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl)-*N*'-[4-(*N*'',*N*''-diethyl-carboxamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2-Chloro-phenyl)-*N*'-[4'-(carbonyl-amino-acetic acid)-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N*'-[4-(*N*''-methyl-propylamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-[4-(*N*''-methyl-propylamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N*'-[4-(*N*''-methyl-propylamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N*'-[4-(*N*''-methyl-propylamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2-chloro-phenyl)-*N*'-[4-(*N*''-methyl-propylamide)-2-(1*H*-tetrazol-5-yl)-phenyl] urea;



*N*-(2,6-Dichloro-phenyl)-*N*'-[2,4-dichloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2,4,6-trichloro-phenyl)-*N*'-[2,4-dichloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N*'-[4-benzamide-2-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N*'-[4-benzamide-2-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N*'-[4-benzamide-2-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)- *N*'-[4-benzamide-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)- *N*'-[4-(*N*'',*N*''-dimethyl acryl-amide)-2-(1-*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(3,5-dichloro-phenyl)-*N*'-[4-(*N*'',*N*''-dimethyl acryl-amide)-2-(1-*H*-tetrazol-5-yl)phenyl] urea;

*N*-(3-Chloro-4-fluoro-phenyl)-*N*'-[2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl-4'-sulfonic acid-dimethylamide] urea;

*N*-(4-Fluoro-3-trifluoromethyl-phenyl)-*N*'-[2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl-4'-sulfonic acid-dimethylamide] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N*'-[2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl-4'-carboxylic acid dimethylamide] urea

*N*-(3,5-Dichloro-phenyl)-*N*'-[2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl-4'-carboxylic acid dimethylamide] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N*'-[4'-(piperidine-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl] urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[4'-(piperidine-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl]

urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[4'-(piperidine-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-

biphenyl-4-yl] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4'-(piperidine-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-[4'-carboxamide-2-(1*H*-tetrazol-5-yl)-4-biphenyl]

urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[4'-carboxamide-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[4'-carboxamide-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4'-carboxamide-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-[4'-(carbonyl-amino-acetic acid)-2-(1*H*-tetrazol-5-yl)-4-biphenyl]

urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4'-(carbonyl-amino-acetic acid)-2-(1*H*-tetrazol-5-yl)-4-biphenyl]

urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-{4'-[carbonyl(*N'*-methyl)-amino-acetic acid]-2-(1*H*-tetrazol-5-yl)-4-biphenyl} urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-{4'-[carbonyl-(*N''*-methyl)-amino-acetic acid]-2-(1*H*-tetrazol-5-yl)-4-biphenyl} urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-{4'-[carbonyl-(*N''*-methyl)-amino-acetic acid]-2-(1*H*-tetrazol-5-yl)-4-biphenyl} urea;

*N*-(3,5-Difluoro-phenyl)-*N'*-[4'-(carbonyl-amino-acetic acid)-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-[4'-(*N''*-acetic acid)-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-[4'-(*N''*-acetic acid)-2-(1*H*-tetrazol-5-yl)-4-biphenyl] urea;

4-Chloro-2-(3-cyclohexyl-ureido)-benzoic acid;

5-Bromo-2-[3-(3,5-bis-trifluoromethyl-phenyl)-ureido]-benzoic acid;

2-[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]-cyclohexanecarboxylic acid;

5-Bromo-2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(3-bromo-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(3,5-dichloro-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(2,6-dichloro-pyridin-4-yl)-ureido]-benzoic acid;

*N*-(3,5-Bis-trifluoromethyl-phenyl)-*N'*-(phenyl-2-boronic acid) urea;

*N*-(4-Chloro-3-fluoro-phenyl)-*N'*-(phenyl-2-boronic acid) urea;

*N*-(3,5-Dichloro-phenyl)-*N'*-(phenyl-2-boronic acid) urea;

*N*-Cyclohexyl-*N'*-(phenyl-2-boronic acid) urea;

5-Chloro-2-[3-(pyridin-3-yl)-ureido]-benzoic acid;

5-Bromo-2-[3-(pyridin-3-yl)-ureido]-benzoic acid;

3,5-Dichloro-2-[3-(3,5-dichloro-phenyl)-ureido]-benzoic acid;

3,5-Dichloro-2-[3-(3-chloro-4-fluoro-phenyl)-ureido]-benzoic acid;

3,5-Dichloro-2-[3-(3,5-bis-trifluoromethyl-phenyl)-ureido]-benzoic acid;

3,5-Dichloro-2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]-benzoic acid;

3,5-Dichloro-2-[3-(4-fluoro-3-trifluoromethyl-phenyl)-ureido]-benzoic acid;

3,5-Dichloro-2-[3-(3-fluoro-5-trifluoromethyl-phenyl)-ureido]-benzoic acid;

3,5-Dichloro-2-[3-(3,5-difluoro-phenyl)-ureido]-benzoic acid;

2-[3-(Thiophen-2-yl)-ureido]-benzoic acid;

2-[3-(Pyridin-4-yl)-ureido]-benzoic acid;

4-Chloro-2-[3-(pyridin-4-yl)-ureido]-benzoic acid;

5-Bromo-2-[3-(pyridin-4-yl)-ureido]-benzoic acid;

2-[3-(Pyridin-3-yl)-ureido]-nicotinic acid;

2-[(3-(3-Chloro-phenyl)-ureido)-cyclohexanecarboxylic acid;

2-[(3-(3-Bromo-phenyl)-ureido)-cyclohexanecarboxylic acid;

2-[3-(3,5-Dichloro-phenyl)-ureido]-cyclohexanecarboxylic acid;

2-(3-Cyclohexyl-ureido)-cyclohexanecarboxylic acid;

2-[3-(2,6-Dichloro-pyridin-4-yl)-ureido]-cyclohexane carboxylic acid;

4-Chloro-2-[3-(2,6-dichloro-pyridin-4-yl)-ureido]-benzoic acid;

5-Bromo-2-[3-(3-chloro-phenyl)-ureido]-benzoic acid;

2-[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]-nicotinic acid;

5-Bromo-2-(3-cyclohexyl-ureido)-benzoic acid;

2-[3-(4-Chloro-3-trifluoromethyl-phenyl)-ureido]-cyclohexanecarboxylic acid;

2-[3-(3-Chloro-phenyl)-ureido]-cyclohexanecarboxylic acid;

2-[3-(3-Bromo-phenyl)-ureido]-cyclohexanecarboxylic acid;

2-[3-(2,6-Dichloro-phenyl)-ureido]-cyclohexanecarboxylic acid;

2-[3-(2,6-Dichloro-pyridin-4-yl)-ureido]-cyclohexanecarboxylic acid;

4-Chloro-2-[3-(thiazol-2-yl)-ureido]-benzoic acid methyl ester;

5-Bromo-2-[3-(pyridin-2-yl)-ureido]-benzoic acid methyl ester;

4-Chloro-2-[3-(5-chloro-pyridin-2-yl)-ureido]benzoic acid;

5-Bromo-2-(3-thiazol-2-yl-ureido)-benzoic acid methyl ester;

2-[3-(5-Bromo-pyridin-3-yl)-ureido]-4-chloro-benzoic acid;

5-Bromo-2-[3-(pyridin-2-yl)-ureido]-benzoic acid;

3-Bromo-2-[3-(2*H*-1λ<sup>4</sup>-thiazol-2-yl)-ureido]-benzoic acid;

3-[3-(4-Chloro-3-trifluoromethyl-phenyl)-ureido]-biphenyl-4-carboxylic acid amide;

4-[3-(3,5-Dichloro-phenyl)-ureido]-biphenyl-3-carboxylic acid;

4-[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]-biphenyl-3-carboxylic acid;

4-[3-(3,5-Difluoro-phenyl)-ureido]-biphenyl-3-carboxylic acid;

4-[3-(2-Chloro-phenyl)-ureido]-biphenyl-3-carboxylic acid;

4-Chloro-2-[3-(5-phenyl-2*H*-pyrazol-3-yl)-ureido]-benzoic acid;

2-[3-(2-chloro-pyridin-3-yl)-ureido]-nicotinic acid;

4-Chloro-2-[3-(2-chloro-pyridin-3-yl)-ureido]-benzoic acid;

2-[3-(4-Chloro-phenyl)-ureido]-5-iodo-benzoic acid;

5-Chloro-2-[3-(5-oxo-1-phenyl-pyrrolidin-3-yl)-ureido]-benzoic acid;

5-Bromo-2-(3-phenyl-ureido)-benzoic acid;

5-Bromo-2-[3-(2-fluoro-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(2-chloro-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(3,5-dimethyl-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(3,5-difluoro-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(3,5-dimethoxy-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(2,6-dichloro-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(2-bromo-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(4-chloro-3-nitro-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(4-butoxide-phenyl)-ureido]-benzoic acid;

5-Chloro-2-[3-(2-chloro-phenyl)-ureido]-benzoic acid;

5-Chloro-2-[3-(3,5-dimethyl-phenyl)-ureido]-benzoic acid;

2-[3-(4-Biphenyl)-ureido]-5-bromo-benzoic acid;

5-Chloro-2-[3-(3-iodo-phenyl)-ureido]-benzoic acid;

5-Chloro-2-(3-phenyl-ureido)-benzoic acid;

5-Chloro-2-[3-(2-fluoro-phenyl)-ureido]-benzoic acid;

5-Bromo-2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]-nicotinic acid;

5-Bromo-2-[3-(3,5-bis-trifluoromethyl-phenyl)-ureido]-nicotinic acid;

5-Chloro-2-[3-(3,5-difluoro-phenyl)-ureido]-benzoic acid;

5-Chloro-2-[3-(3,5-dimethoxy-phenyl)-ureido]-benzoic acid;

5-Chloro-2-[3,4-dichloro-phenyl)-ureido]-benzoic acid;



2-[3-(4-Butoxy-phenyl)-ureido]-5-chloro- benzoic acid;

5-Bromo-2-[3-(3,5-dichloro-phenyl)-ureido]-nicotinic acid;

3,5-Bis-[3-(3,5-difluoro-phenyl)-ureido]- benzoic acid;

5-Bromo-2-[3-(3,5-difluoro-phenyl)-ureido]-nicotinic acid;

5-Bromo-2-[3-(2,4,6-trichloro-phenyl)-ureido]-nicotinic acid;

5-Chloro-2-[3-(2,6-dichloro-phenyl)-ureido]-benzoic acid;

3,5-Bis-[3-(3,5-bis-trifluoromethylphenyl)-ureido]- benzoic acid;

2,5-Dichloro-3-[3-(3-bromo-phenyl)-ureido]-benzoic acid;

2,5-Dichloro-3-[3-(3,5-dichloro-phenyl)-ureido]-benzoic acid;

3,5-Bis-[3-(3-bromo-phenyl)-ureido]- benzoic acid

3,5-Bis-[3-(3,5-dichloro-phenyl)-ureido]- benzoic acid;

3-[3-(3-Bromo-phenyl)-ureido]-5-trifluoro-benzoic acid;

3-[3-(3,5-Dichloro-phenyl)-ureido]-5-trifluoro-benzoic acid;

3,5-Bis-[3-(3,5-bis-trifluoromethylphenyl)-ureido]- benzoic acid;

2-[3-(Pyridin-3-yl)-ureido]-phenyl-boronic acid;

2-[3-(2,6-Dichloro-pyridin-4-yl)-ureido]-phenyl-boronic acid;

2-[3-(3-Bromo-phenyl)-ureido]-phenyl-dihydroxy-borane;

{2-[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{2-[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid;

{2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid

{2-[3-(3-chloro-phenyl)-ureido]-phenyl}-phosphonic acid diethyl ester;

{2-[3-(3-chloro-phenyl)-ureido]phenyl}-phosphonic acid;

{2-[3-(3-bromo-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{2-[3-(3-bromo-phenyl)-ureido]phenyl}-phosphonic acid;

{2-[3-(3,5-dichloro-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{2-[3-(3,5-dichloro-phenyl)-ureido]phenyl}-phosphonic acid;

{5-Bromo-2-[3-(3,5-bis-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{5-Bromo-2-[3-(3,5 bis-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid;

{5-Bromo-2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{5-Bromo-2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]phenyl}-phosphonic acid;

{5-Bromo-2-[3-(3-chloro-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{5-Bromo-2-[3-(3-chloro-phenyl)-ureido]phenyl}-phosphonic acid;

{5-Bromo-2-[3-(3-bromo-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{5-Bromo-2-[3-(3-bromo-phenyl)-ureido]phenyl}-phosphonic acid;

{5-Bromo-2-[3-(3,5-dichloro-phenyl)-ureido]phenyl}-phosphonic acid diethyl ester;

{5-Bromo-2-[3-(3,5-dichloro-phenyl)-ureido]phenyl}-phosphonic acid;

{5-Bromo-2-[3-(2,6-dichloro-pyridin-4-yl)-ureido]phenyl}-phosphonic acid diethyl ester;

{5-Bromo-2-[3-(2,6-dichloro-pyridin-4-yl)-ureido]phenyl}-phosphonic acid;

2-{[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

2-{[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]-benzyl}-phosphonic acid;

2-{[3-(3,5-dichloro-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

2-{[3-(3,5-Dichloro-phenyl)-ureido]-benzyl}-phosphonic acid;

2-[(3-Phenyl-ureido)-benzyl]-phosphonic acid dimethyl ester;

2-[(3-Phenyl-ureido)-benzyl]-phosphonic acid;

2-[3-(4-Chloro-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

2-[3-(4-Chloro-phenyl)-ureido]-benzyl}-phosphonic acid;

2-{[3-(3,4-Dichloro-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

2-{[3-(3,4-Dichloro-phenyl)-ureido]-benzyl}-phosphonic acid;

{5-Chloro-2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

{5-Chloro-2-[3-(4-chloro-3-trifluoromethyl-phenyl)-ureido]-benzyl}-phosphonic acid;

{5-Chloro-2-[3-(3,5-dichloro-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

{5-Chloro-2-[3-(3,5-dichloro-phenyl)-ureido]-benzyl}-phosphonic acid;

[5-Chloro-2-(3-phenyl-ureido)-benzyl]-phosphonic acid dimethyl ester;

[5-Chloro-2-(3-phenyl-ureido)-benzyl]-phosphonic acid;

{5-Chloro-2-[3-(3,4-dichloro-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

{5-Chloro-2-[3-(4-chloro-phenyl)-ureido]-benzyl}-phosphonic acid;

{5-Chloro-2-[3-(3,4-dichloro-phenyl)-ureido]-benzyl}-phosphonic acid dimethyl ester;

{5-Chloro-2-[3-(3,4-dichloro-phenyl)-ureido]-benzyl}-phosphonic acid;

{2-[3-(2,6-Dichloro-pyridin-4-yl)-ureido]-phenyl}-phosphonic acid diethyl ester;

{2-[3-(2-Trifluoromethyl-phenyl)-ureido]-phenyl}-phosphonic acid diethyl ester;

{2-[3-(2-Trifluoromethyl-phenyl)-ureido]-phenyl}-phosphonic acid;

3-[3-(3,5-Dichloro-phenyl)-ureido]-biphenyl-4-carboxylic acid amide;

3-[3-(2,3-Dichloro-phenyl)-ureido]-biphenyl-4-carboxylic acid amide;

3-[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]-biphenyl-4-carboxylic acid amide;

{2-[3-(2,6-Dichloro-pyridin-4-yl)-ureido]-phenyl}-phosphonic acid;

[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]-(4-fluoro-phenyl)-acetic acid;

[3-(3,5-Bis-trifluoromethyl-phenyl)-ureido]-(5-trifluoromethyl-phenyl)-acetic acid;

[3-(4-Chloro-3-fluoro-phenyl)-ureido]-(4-fluoro-phenyl)-acetic acid;

[3-(3,5-Dichloro-phenyl)-ureido]-(4-fluoro-phenyl)-acetic acid;

[3-(3-Chloro-phenyl)-ureido]-(4-fluoro-phenyl)-acetic acid;

1-(3,5-Bis-trifluoromethyl-phenylcarbamoyl)-pyrroline-2-carboxylic acid;

1-(3,5-Bis-trifluoromethyl-phenylcarbamoyl)-4-hydroxy-pyrroline-2-carboxylic acid;

1-(4-Chloro-3-trifluoromethyl-phenylcarbamoyl)-pyrrolidine-2-carboxylic acid;

1-(3-Chloro-phenylcarbamoyl)-pyrrolidine-2-carboxylic acid;

1-(3-Bromo-phenylcarbamoyl)-pyrrolidine-2-carboxylic acid;

1-(3,5-Dichloro-phenylcarbamoyl)-pyrrolidine-2-carboxylic acid;

1-(Cyclohexyl-carbamoyl)-pyrrolidine-2-carboxylic acid;

1-(2,6-Dichloro-pyridin-4-ylcarbamoyl)-pyrrolidine-2-carboxylic acid;

1-(4-Chloro-3-trifluoromethyl-phenylcarbamoyl)-4-hydroxy-pyrrolidine-2-carboxylic acid;

1-(3-Chloro-phenylcarbamoyl)-4-hydroxy-pyrrolidine-2-carboxylic acid;

1-(3-Bromo-phenylcarbamoyl)-4-hydroxy-pyrrolidine-2-carboxylic acid;

1-(Pyridin-3-ylcarbamoyl)-pyrrolidine-2-carboxylic acid;

*N*-Cyclohexyl-*N'*-(2,3-difluoro-4-trifluoromethyl-phenyl) urea;

*N*-Cyclohexyl-*N'*-(2,3-difluoro-phenyl) urea;

*N*-(2,3-Difluoro-4-trifluoromethyl-phenyl)-*N'*-(pyridin-3-yl) urea;

*N*-(Pyridin-3-yl)-*N'*-(2,3-difluoro-phenyl) urea;

*N*-(4-Chloro-3-trifluoromethyl-phenyl)-*N'*-(2,3-difluoro-4-trifluoromethyl-phenyl) urea;

*N*-(2,6-Dichloro-pyridin-4-yl)-*N'*-(2,3-difluoro-4-trifluoromethyl-phenyl) urea;

*N*-(2,3-Difluoro-4-trifluoromethyl-phenyl)-*N'*-(pyridin-4-yl) urea;

*N*-(2,3-Difluoro-phenyl)-*N'*-(pyridin-4-yl) urea;

*N*-(Cyclohexyl)-*N'*-[3-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2,6-Dichloro-pyridin-4-yl)-*N'*-[3-chloro-6-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-Cyclohexyl-*N'*-[4'-(*N''*,*N''*-dimethyl-1-carbonyl)-2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl] urea;

*N*-(2,6-Dichloro-pyridin-4-yl)-*N'*-[4'-(*N''*,*N''*-dimethyl-1-carbonyl)-2-(1*H*-tetrazol-5-yl)-biphenyl-4-yl] urea;

*N*-Cyclohexyl-*N'*-[4-bromo-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-(2,6-Dichloro-pyridin-4-yl)-*N'*-[4-bromo-2-(1*H*-tetrazol-5-yl)-phenyl] urea;

*N*-[5-Chloro-2-(1*H*-tetrazol-5-yl)-phenyl]-*N'*-(pyridin-3-yl) urea;

*N*-[4-Bromo-2-(1*H*-tetrazol-5-yl)-phenyl]-*N'*-(pyridin-3-yl) urea;

*N*-(Naphthalen-1-yl)-*N'*-[4'-(*N''*,*N''*-dimethyl-1-carbonyl)-3-(1*H*-tetrazol-5-yl)-biphenyl-4-yl] urea;

*N*-[2,4-Dibromo-6-(1*H*-tetrazol-5-yl)-phenyl]-*N'*-(2,6-dichloro-pyridin-4-yl) urea;

or a pharmaceutically acceptable salt thereof.

34. (NEW) A pharmaceutical composition comprising a therapeutically effective amount of a compound according to claim 21, or a pharmaceutically acceptable salt thereof, together with at least one pharmaceutically acceptable carrier, excipient or diluent.

35. (NEW) A method for the treatment, prevention or alleviation of a disease or a disorder or a condition of a living animal body, including a human, which disorder, disease or condition is responsive to responsive to the blockade of chloride channels, which method comprises the step of administering to such a living animal body in need thereof a therapeutically effective amount of a compound according to claim 21, or any of its enantiomers or any mixture of its enantiomers, or a pharmaceutically acceptable salt thereof.

36. (NEW) The method according to claim 35, wherein the disease, disorder or condition responsive to the blockade of chloride channels is a bone metabolic disease or an osteoclast related bone disease.

37. (NEW) The method according to claim 35, wherein the disease, disorder or condition responsive to the blockade of chloride channels is osteoporosis, postmenopausal osteoporosis, secondary osteoporosis, osteolytic breast cancer bone metastasis, osteolytic cancer invasion, Paget's disease of bone.



38. (NEW) The method according to claim 35, wherein the disease, disorder or condition responsive to the blockade of chloride channels is a disease, disorder or condition responsive to the mast cell or basophil activity, or to inhibition of angiogenesis.

39. (NEW) The method according to claim 35, wherein the disease, disorder or condition responsive to the blockade of chloride channels is allergic bronchopulmonary aspergillosis (ABPA), allergic rhinitis, allergic skin disease, allergic skin reaction, drug induced allergic skin reaction, anaphylaxis, asthma, atherosclerosis, atopic dermatitis (AD), bronchial asthma, cancer, chronic obstructive pulmonary disease (COPD), Chrohn's disease, contact dermatitis, dilated cardiomyopathy, fatal asthma, graft rejection, hypersensitivity pneumonitis, ischemic hearth disease, pulmonary fibrosis, rheumatoid arthritis, systemic sclerosis, urticaria, uveoretinitis, cancer, metastatic cancer, prostate cancer, lung cancer, breast cancer, bladder cancer, renal cancer, colon cancer, gastric cancer, pancreatic cancer, ovarian cancer, melanoma, hepatoma, sarcoma, lymphoma, exudative macular degeneration, age-related mucular degeneration (AMD), retinopathy, diabetic retinopathy, proliferative diabetic retinopathy, ischemic retinopathy (e.g. retinal vain or artery occlusion), retinopathy of prematurity, neovascular glaucoma, corneal neovascularization, rheumatoid arthritis, psoriasis, sickle cell anaemia, brain oedema following ischaemia or tumors, diarrhea, hypertension, diuretic hypertension, glaucoma, or ulcers.